

Work Order ID 145430

Friday, May 06, 2016 8:07:33 AM

145430

Page 1

Item ID: D2571 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Fwd, Out
 Start Date: 5/2/2016 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 5/12/2016 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: MLS Date: MAY 06 2016 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2571	F								
100	HAAS CNC VERTICAL MACHINING #1	0.09							DAS 33 9-89 <u>16/06/08</u>
100									
HAAS 1	Memo	4.92							
HAAS CNC vertical machine #1	Program Batch No. <u>B 145430</u>								
	Double check by: <u>[Signature]</u>								
	1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets								
	2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets								
	3-Machine Step No 3 per Folio FA051 and inspect								
110	CONVENTIONAL MILLING MACHINE	0.00							DAS 33 9-89 <u>16/06/08</u>
110									
Mill Conv	Memo	2.40							
Conventional Milling Machine	Machine keyway as per dwg D2571 & D2572								DAS 44 9-89 <u>16/06/08</u>

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
						QC / QA Coordinator Approval			
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : ☐			
Misidentified ☐	☐	Past Due	☐				

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 145430

Friday, May 06, 2016 8:07:33 AM

145430

Page 4

Item ID: D2571

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle, Fwd, Out

Start Date: 5/2/2016 Start Qty: 12.00

12

Cust Item ID:

Required Date: 5/12/2016 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

180

QC21- Final Inspection - Work Order Release

0.00

180DAS
21
9-39

JUN 24 2016

QC

Memo

1.20

Quality Control

mcs JUN 24 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause			FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER : _____							
Misidentified ☐	☐	Past Due								

Picklist Print

Friday, May 06, 2016 8:07:36 AM

Page 1

Work Order ID: 145430

145430

Parent Item: D2571

D2571

Parent Item Name: Saddle, Fwd, Out

Start Date: 5/2/2016

Required Date: 5/12/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP: I02.10.02Re-format; Change to Dwg Rev. D & incorporated
D2572KJ

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-007		Manufactured	No			100	Each	59.0000	1	12 DAS			
D6101-007									**	44			
Saddle Billet										9-89		16-06-05	

Location

Loc Qty

Loc Code

MAT041

59

142578

19

X143818

40

12

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor Approval Verification
					QC / QA Coordinator Approval
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

DART AEROSPACE LTD	Work Order:	145430
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1	2	3	4		
A	0.438	0.443		0.439	0.439	0.439	0.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.498	0.498	0.500		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.377	0.377	0.377	0.377		
I	0.490	0.510		0.500	0.500	0.497	0.496		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.564	0.566	0.562	0.563		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.125	0.125	0.125	0.125		
Q	0.115	0.135		0.125	0.125	0.125	0.125		
R	0.240	0.260		0.250	0.250	0.248	0.249		
S	0.115	0.135		0.130	0.128	0.130	0.128		
T	0.178	0.198		0.188	0.189	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.236	0.236	0.234	0.235		
W	0.115	0.135		0.122	0.122	0.122	0.122		
X	0.308	0.313		0.311	0.311	0.311	0.311		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.358	0.358	0.358	0.358		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.626	0.625	0.625	0.625		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.250	0.247	0.248	0.249		
AE	1.375	1.395		1.388	1.388	1.387	1.387		
AF	0.115	0.135		0.130	0.130	0.130	0.130		
AG	0.240	0.280		0.280	0.280	0.280	0.280		
AH	0.240	0.260		0.246	0.245	0.246	0.245		
AI	2.000	2.020		2.0035	2.004	2.003	2.003		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject				✓	✓	✓	✓		

Measured by: 33	Audited by: B	DAS
Date: 9/20/06	Date: 16/06/14	08
		9-89

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	145 430
Description: Saddle, Fwd Outboard		Part Number:	D2571
Inspection Dwg: D2571 Rev. F		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				5	6	7	8		
A	0.438	0.443		0.439	0.439	0.439	0.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.500	0.500	0.500		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.377	0.377	0.377	0.377		
I	0.490	0.510		0.498	0.498	0.498	0.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.563	0.566	0.566	0.566		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.125	0.125	0.125	0.125		
R	0.240	0.260		0.250	0.250	0.250	0.250		
S	0.115	0.135		0.128	0.129	0.129	0.129		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.237	0.237	0.238	0.238		
W	0.115	0.135		0.122	0.120	0.121	0.122		
X	0.308	0.313		0.311	0.311	0.311	0.311		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.358	0.358	0.358	0.358		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.625	0.625	0.625	0.625		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.248	0.248	0.248	0.248		
AE	1.375	1.395		1.387	1.387	1.387	1.387		
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		0.280	0.280	0.280	0.280		
AH	0.240	0.260		0.247	0.248	0.248	0.248		
AI	2.000	2.020		2.003	2.003	2.003	2.003		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject				✓	✓	✓	✓		

Measured by:	33	Audited by:	H.	DAC
Date:	9-89	Date:	16/06/14	OS
	11/06/12			9-89

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order:	145430
Description: Saddle, Fwd Outboard	Part Number:	D2571
Inspection Dwg: D2571 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2571 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	# 9	# 10	# 11	# 12		
A	0.438	0.443		0.439	0.439	0.439	0.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.498	0.497	0.498	0.498		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.377	0.377	0.377	0.377		
I	0.490	0.510		0.500	0.500	0.500	0.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.566	0.566	0.566	0.566		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.125	0.127	0.126	0.126		
R	0.240	0.260		0.250	0.250	0.250	0.250		
S	0.115	0.135		0.129	0.128	0.128	0.128		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.237	0.238	0.236	0.239		
W	0.115	0.135		0.120	0.125	0.123	0.125		
X	0.308	0.313		0.311	0.311	0.311	0.311		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.358	0.358	0.358	0.358		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.625	0.626	0.627	0.626		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.248	0.249	0.248	0.249		
AE	1.375	1.395		1.389	1.389	1.389	1.389		
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		0.280	0.280	0.280	0.280		
AH	0.240	0.260		0.247	0.249	0.248	0.250		
AI	2.000	2.020		2.004	2.004	2.004	2.004		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject				✓	✓	✓	✓		

Measured by: 33 / 9-89 / 16-06-13	Audited by: H- / 16-06-14	DAS 08 9-89
-----------------------------------	---------------------------	-------------

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	



